


Deluge foam valve skid – DELS-FT-05



PRODUCT DESCRIPTION:

DESIGN LAYOUT:

Single Deluge System with water turbine driven foam pump and integrated foam tank at the back of the skid enclosure.
Internal bypass, two firewater inlets.
Foam Supply both in Main and By-pass mode
Full flow test/drain, possible to test with foam in test line

FPE AS
PO Box 142
N-4065 Stavanger
Norway

Office Address :
Kanalarmen 12,
N-4033 Stavanger

E-mail: post@fpe.no

Telephone : 51 95 92 92
Faximile :51 95 92 91
Enterprise No: 981 990 374
QA Certificate no: 2001-OSL-AQ-7140




Deluge foam valve skid – DELS-FT-05

STANDARD MATERIALS:	Cabinet: Water Piping/Valves: Foam Piping/Valves: Foam Pump & Driver:	SST AISI 316, painted externally Titanium AISI 316 Bronze
ALTERNATIVE MATERIALS:	Piping: Valves:	CuNi 90/10, Super Duplex Super Duplex, BS1400 AB2/LG2,
WORKING PRESSURE:		20 barg

Deluge foam valve skid – DELS-FT-05

System logic drawing



FPE AS
PO Box 142
N-4065 Stavanger
Norway

Office Address :
Kanalarmen 12,
N-4033 Stavanger

E-mail: post@fpe.no

Telephone : 51 95 92 92
Faximile :51 95 92 91
Enterprise No: 981 990 374
QA Certificate no: 2001-OSL-AQ-7140

