


## Deluge System – DELS-FP-01



### PRODUCT DESCRIPTION:

#### DESIGN LAYOUT:

Single valve deluge foam skid with two Firewater inlets  
Foam supply from platform central foam system  
Balanced pressure foam proportioner  
Internal manual bypass valves  
Foam Supply both in Main and By-pass mode  
Full flow test/drain arrangement, possible to test with foam in test line  
Inlet strainer upstream the deluge valve

FPE AS  
PO Box 142  
N-4065 Stavanger  
Norway

Office Address :  
Kanalarmen 12,  
N-4033 Stavanger

E-mail: [post@fpe.no](mailto:post@fpe.no)

Telephone : 51 95 92 92  
Faximile :51 95 92 91  
Enterprise No: 981 990 374  
QA Certificate no: 2001-OSL-AQ-7140




## Deluge System – DELS-FP-01

STANDARD MATERIALS:	Cabinet: Water Piping/Valves:	SST AISI 316, painted externally Titanium
ALTERNATIVE MATERIALS:	Piping: Valves:	CuNi 90/10, Super Duplex Super Duplex, BS1400 AB2/LG2
WORKING PRESSURE:		20 barg

# Deluge System – DELS-FP-01

## System logic drawing



FPE AS  
PO Box 142  
N-4065 Stavanger  
Norway

Office Address :  
Kanalarmen 12,  
N-4033 Stavanger

E-mail: [post@fpe.no](mailto:post@fpe.no)

Telephone : 51 95 92 92  
Faximile :51 95 92 91  
Enterprise No: 981 990 374  
QA Certificate no: 2001-OSL-AQ-7140

